Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	2001-057105	JPO; DERWENT	OR	ON	2006/07/13 06:50
L2	4	"2001057105"	JPO; DERWENT	OR	ON	2006/07/13 06:57
L3	1	2001-292053	JPO; DERWENT	OR	ON	2006/07/13 06:57
L4	2	"2001292053"	JPO; DERWENT	OR	ON	2006/07/13 07:00
L5	1	"2001-057105"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/13 07:01
L6	4	"2001057105"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/13 07:01
L7	1	"200157105"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/13 07:42
L8	2	"6989536"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/13 07:45
L9	4	"7053387"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/13 07:56
L10	1	10/901551	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/13 07:57
L11	1	10/796885	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/13 08:25

	Γ			1		
L12	2	"5838119".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/13 08:26
L13	1	L12 and (height depth thick thickness surface contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/13 08:26
L14	1	L12 and (height depth thick thickness surface contour measur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/13 08:27
L15	1	L12 and (height depth thick thickness surface contour measur\$3) and (electron beam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/13 08:32
L16	2	"20050242286"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/13 08:35
L17	40	"6107637"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/07/13 08:35
L18	38	"6107637"	US-PGPUB; USPAT	OR	ON	2006/07/13 08:35
L19	1	"6107637".pn.	US-PGPUB; USPAT	OR	ON	2006/07/13 08:41
L20	1	19 and (mold diffraction diffractive grating pattern depict\$3 etch\$3)	US-PGPUB; USPAT	OR	ON	2006/07/13 08:48
L21	1	19 and (mold diffraction diffractive grating depict\$3 etch\$3) and (optical manufactur\$3)	US-PGPUB; USPAT	OR	ON	2006/07/13 08:48
L22	1	19 and (mold diffraction diffractive grating depict\$3 etch\$3) and (manufactur\$3)	US-PGPUB; USPAT	OR	ON	2006/07/13 08:54
L23	1	19 and (film)	US-PGPUB; USPAT	OR	ON	2006/07/13 09:02
L24	1	"6559456".pn.	US-PGPUB; USPAT	OR	ON	2006/07/13 09:02
L25	1	"6593152".pn.	US-PGPUB; USPAT	OR	ON	2006/07/13 09:03

			7			
L26	1	"6333572".pn.	US-PGPUB; USPAT	OR	ON	2006/07/13 09:03
L27	3	24 25 26	US-PGPUB; USPAT	OR	ON	2006/07/13 09:03
L28	2	L27 and (height thickness)	US-PGPUB; USPAT	OR	ON	2006/07/13 09:03
S1	802	(264/1.27,1.36,485).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/13 06:46
S2	558	(264/1.32,1.33).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/12 16:59
S3	599	(264/2.5).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/12 16:59
S4	13	S1 and S2 and S3	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/12 16:59
S5	0	S4 and ((electron near4 beam) same (measur\$3 adjust\$3) same (diffraction))	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/12 17:11
S6	0	S4 and ((electron near4 beam) and (measur\$3 adjust\$3) and (diffraction))	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/12 17:00
S7	1	S4 and ((electron and beam) and (measur\$3 adjust\$3) and (diffraction))	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/12 17:03
S8	108	((electron near4 beam) and (measur\$3 adjust\$3) and (diffraction))	JPO	OR	ON	2006/07/12 17:03
S9	0	((electron near4 beam) and (measur\$3 adjust\$3) and (diffraction)) and (depict\$3)	JPO	OR	ON	2006/07/12 17:03
S10	22	((electron near4 beam) and (measur\$3 adjust\$3) and (diffraction and structure))	JPO	OR	ON	2006/07/12 17:06
S11	35	((electron near4 beam) and (measur\$3 adjust\$3) and (diffraction and (structure grating)))	JPO	OR	ON	2006/07/12 17:11
S12	0	S1 S2 S3	JPO	OR	ON	2006/07/12 17:11
S13	1792	S1 S2 S3	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/12 17:11
S14	3	S13 and ((electron near4 beam) same (measur\$3 adjust\$3 contour) same (diffraction))	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/12 17:14

S15	1	2002-333722	JPO; DERWENT	OR	ON	2006/07/12 17:15
S16	3	"2002333722"	JPO; DERWENT	OR	ON	2006/07/12 17:18
S17	1	"20020170887"	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/12 17:18